



Tuesday, June 12, 2012

Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Project ID: DELL

Sample ID#s: BB78007 - BB78008, BB78010 - BB78011, BB78013 - BB78015,
BB78017 - BB78018, BB78020 - BB78022, BB78024 - BB78025,
BB78027 - BB78029

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

Enclosed are revised Analysis Report pages. Please replace and discard the original pages. If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller", is written over a light blue horizontal line.

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:34
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78007

Project ID: DELL
Client ID: 2B 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	92		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	118		%	05/01/12		MH	30 - 150 %
% TCMX	102		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 2B 0.25-0.5

Phoenix I.D.: BB78007

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:36
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78008

Project ID: DELL
Client ID: 2B 0.5-0.75

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	93		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	119		%	05/01/12		MH	30 - 150 %
% TCMX	100		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 2B 0.5-0.75

Phoenix I.D.: BB78008

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:38
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78010

Project ID: DELL

Client ID: 2B 4-5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	06/06/12		JL	E160.3
Extraction for PCB	Completed			06/06/12		BQ/K	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	06/07/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	06/07/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	90		%	06/07/12		MH	30 - 150 %
% TCMX	86		%	06/07/12		MH	30 - 150 %

Project ID: DELL
Client ID: 2B 4-5

Phoenix I.D.: BB78010

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:46
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78011

Project ID: DELL

Client ID: 2B 5-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	61		%	05/01/12		MH	30 - 150 %
% TCMX	51		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 2B 5-6

Phoenix I.D.: BB78011

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:48
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78013

Project ID: DELL

Client ID: 2B 7-8

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	119		%	05/01/12		MH	30 - 150 %
% TCMX	97		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 2B 7-8

Phoenix I.D.: BB78013

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

04/26/12
04/27/12

Time

8:56
14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78014

Project ID: DELL

Client ID: 3B 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	89		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	460	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	107		%	05/01/12		MH	30 - 150 %
% TCMX	100		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 3B 0.25-0.5

Phoenix I.D.: BB78014

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 8:57
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78015

Project ID: DELL
Client ID: 3B 0.5-0.75

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	94		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	116		%	05/01/12		MH	30 - 150 %
% TCMX	95		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 3B 0.5-0.75

Phoenix I.D.: BB78015

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

04/26/12 9:00
04/27/12 14:34

Time

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78017

Project ID: DELL

Client ID: 3B 4-5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	06/06/12		JL	E160.3
Extraction of CT ETPH	Completed			06/06/12		JS/F	3545
Extraction for PCB	Completed			06/06/12		BQ/K	SW3540C

TPH by GC (Extractable Products)

Ext. Petroleum HC	ND	11	mg/Kg	06/07/12		JRB	CT ETPH/8015
Identification	ND		mg/Kg	06/07/12		JRB	CT ETPH/8015

QA/QC Surrogates

% n-Pentacosane	74		%	06/07/12		JRB	50 - 150 %
-----------------	----	--	---	----------	--	-----	------------

PCB (Soxhlet)

PCB-1016	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	06/07/12		MH	3540C/8082

QA/QC Surrogates

% DCBP	86		%	06/07/12		MH	30 - 150 %
% TCMX	82		%	06/07/12		MH	30 - 150 %

Project ID: DELL
Client ID: 3B 4-5

Phoenix I.D.: BB78017

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:07
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78018

Project ID: DELL

Client ID: 3B 5-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Extraction of CT ETPH	Completed			06/08/12		JS/F	3545
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C

TPH by GC (Extractable Products)

Ext. Petroleum HC	ND	11	mg/Kg	06/10/12		JRB	CT ETPH/8015
Identification	ND		mg/Kg	06/10/12		JRB	CT ETPH/8015

QA/QC Surrogates

% n-Pentacosane	85		%	06/10/12		JRB	50 - 150 %
-----------------	----	--	---	----------	--	-----	------------

PCB (Soxhlet)

PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082

QA/QC Surrogates

% DCBP	120		%	05/01/12		MH	30 - 150 %
% TCMX	97		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 3B 5-6

Phoenix I.D.: BB78018

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:09
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78020

Project ID: DELL

Client ID: 3B 7-8

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	116		%	05/01/12		MH	30 - 150 %
% TCMX	92		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 3B 7-8

Phoenix I.D.: BB78020

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:25
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78021

Project ID: DELL

Client ID: 4B 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	120		%	05/01/12		MH	30 - 150 %
% TCMX	100		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4B 0.25-0.5

Phoenix I.D.: BB78021

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:26
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78022

Project ID: DELL
Client ID: 4B 0.5-0.75

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	120		%	05/01/12		MH	30 - 150 %
% TCMX	98		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4B 0.5-0.75

Phoenix I.D.: BB78022

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:28
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78024

Project ID: DELL

Client ID: 4B 4-5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	89		%	06/06/12		JL	E160.3
Extraction of CT ETPH	Completed			06/06/12		JS/F	3545
Extraction for PCB	Completed			06/06/12		BQ/K	SW3540C

TPH by GC (Extractable Products)

Ext. Petroleum HC	ND	11	mg/Kg	06/07/12		JRB	CT ETPH/8015
Identification	ND		mg/Kg	06/07/12		JRB	CT ETPH/8015

QA/QC Surrogates

% n-Pentacosane	80		%	06/07/12		JRB	50 - 150 %
-----------------	----	--	---	----------	--	-----	------------

PCB (Soxhlet)

PCB-1016	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1221	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1232	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1242	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1248	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1254	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1260	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1262	ND	370	ug/Kg	06/07/12		MH	3540C/8082
PCB-1268	ND	370	ug/Kg	06/07/12		MH	3540C/8082

QA/QC Surrogates

% DCBP	86		%	06/07/12		MH	30 - 150 %
% TCMX	84		%	06/07/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4B 4-5

Phoenix I.D.: BB78024

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:33
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78025

Project ID: DELL

Client ID: 4B 5-6

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	91		%	04/30/12		JL	E160.3
Extraction of CT ETPH	Completed			06/06/12		JS/F	3545
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C

TPH by GC (Extractable Products)

Ext. Petroleum HC	ND	22	mg/Kg	06/08/12		JRB	CT ETPH/8015
Identification	ND		mg/Kg	06/08/12		JRB	CT ETPH/8015

QA/QC Surrogates

% n-Pentacosane	52		%	06/08/12		JRB	50 - 150 %
-----------------	----	--	---	----------	--	-----	------------

PCB (Soxhlet)

PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082

QA/QC Surrogates

% DCBP	116		%	05/01/12		MH	30 - 150 %
% TCMX	99		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4B 5-6

Phoenix I.D.: BB78025

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------

Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

04/26/12 9:35

Time

04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78027

Project ID: DELL

Client ID: 4B 7-8

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	90		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	360	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	360	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	106		%	05/01/12		MH	30 - 150 %
% TCMX	89		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 4B 7-8

Phoenix I.D.: BB78027

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:39
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78028

Project ID: DELL
Client ID: 5B 0.25-0.5

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	96		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	340	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	340	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	75		%	05/01/12		MH	30 - 150 %
% TCMX	65		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 5B 0.25-0.5

Phoenix I.D.: BB78028

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

June 12, 2012

FOR: Attn: Mr. Mike Susca
Leggette, Brashears & Graham
6 Executive Drive
Farmington CT 06030

Sample Information

Matrix: SOLID
Location Code: LBG-FARM
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date Time

04/26/12 9:43
04/27/12 14:34

Laboratory Data

SDG ID: GBB78007
Phoenix ID: BB78029

Project ID: DELL
Client ID: 5B 0.5-0.25

Parameter	Result	RL	Units	Date	Time	By	Reference
Percent Solid	95		%	04/30/12		JL	E160.3
Soxhlet Extraction for PCB	Completed			04/27/12		*/*	SW3540C
<u>PCB (Soxhlet)</u>							
PCB-1016	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1221	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1232	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1242	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1248	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1254	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1260	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1262	ND	350	ug/Kg	05/01/12		MH	3540C/8082
PCB-1268	ND	350	ug/Kg	05/01/12		MH	3540C/8082
<u>QA/QC Surrogates</u>							
% DCBP	71		%	05/01/12		MH	30 - 150 %
% TCMX	61		%	05/01/12		MH	30 - 150 %

Project ID: DELL
Client ID: 5B 0.5-0.25

Phoenix I.D.: BB78029

Parameter	Result	RL	Units	Date	Time	By	Reference
-----------	--------	----	-------	------	------	----	-----------


Comments:

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

ND=Not detected BDL=Below Detection Level RL=Reporting Level

All soils and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

This report must not be reproduced except in full as defined by the attached chain of custody.



Phyllis Shiller, Laboratory Director

June 12, 2012

Reviewed and Released by: Bobbi Aloisa, Vice President



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

June 12, 2012

QA/QC Data

SDG I.D.: GBB78007

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 202149, QC Sample No: BB76687 (BB78010, BB78017, BB78024)									
<u>Polychlorinated Biphenyls - Solid</u>									
PCB-1016	ND	91	85	6.8				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	92	98	6.3				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	89	83	88	5.8				30 - 150	30
% TCMX (Surrogate Rec)	86	73	77	5.3				30 - 150	30
QA/QC Batch 199525, QC Sample No: BB78011 (BB78007, BB78008, BB78011, BB78013, BB78014, BB78015, BB78018, BB78020, BB78021, BB78022, BB78025, BB78027, BB78028, BB78029)									
<u>Polychlorinated Biphenyls - Solid</u>									
PCB-1016	ND	108	102	5.7	109	93	15.8	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	119	113	5.2	123	103	17.7	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	120	102	105	2.9	87	77	12.2	30 - 150	30
% TCMX (Surrogate Rec)	102	90	92	2.2	97	87	10.9	30 - 150	30
QA/QC Batch 202053, QC Sample No: BB93902 (BB78017, BB78018)									
<u>TPH by GC (Extractable Products) - Solid</u>									
Ext. Petroleum HC	ND	64	76	17.1	84	87	3.5	50 - 150	30
% n-Pentacosane	74	70	78	10.8	91	84	8.0	50 - 150	30
QA/QC Batch 202153, QC Sample No: BB94753 (BB78024, BB78025)									
<u>TPH by GC (Extractable Products) - Solid</u>									
Ext. Petroleum HC	ND	88	72	20.0	82	74	10.3	50 - 150	30
% n-Pentacosane	78	96	82	15.7	93	85	9.0	50 - 150	30

QA/QC Data

SDG I.D.: GBB78007

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
-----------	-------	----------	-----------	------------	---------	----------	-----------	--------------------	--------------------

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference

LCS - Laboratory Control Sample


LCSD - Laboratory Control Sample Duplicate

MS - Matrix Spike

MS Dup - Matrix Spike Duplicate

NC - No Criteria

Intf - Interference



Phyllis Shiller, Laboratory Director

June 12, 2012

Tuesday, June 12, 2012

Sample Criteria Exceedences Report

Page 1 of 1

Requested Criteria: GAM, GBM, RC

GBB78007

SampNo	LocCode	Acode	Phoenix Analyte	Criteria Units	ST	State Category	Criteria Name	Result	RL	Factored Criteria	Factored RL Criteria	Analysis Units
--------	---------	-------	-----------------	-------------------	----	----------------	---------------	--------	----	----------------------	----------------------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Reasonable Confidence Protocol Laboratory Analysis QA/QC Certification Form

Laboratory Name: Phoenix Environmental Labs, Inc. **Client:** LBG-FARM

Project Location: DELL

Project Number:

Laboratory Sample ID(s): BB78007, BB78008, BB78009, BB78010, BB78011, BB78012, BB78013, BB78014, BB78015, BB78016, BB78017, BB78018, BB78019, BB78020, BB78021, BB78022, BB78023, BB78024, BB78025, BB78026, BB78027, BB78028, BB78029, BB78030

Sampling Date(s): 4/26/2012

RCP Methods Used:


☐ 1311/1312 ☐ 6010 ☐ 7000 ☐ 7196 ☐ 7470/7471 ☐ 8081 ☐ EPH ☐ TO15
☒ 8082 ☐ 8151 ☐ 8260 ☐ 8270 ☒ ETPH ☐ 9010/9012 ☐ VPH

1.	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the CT DEP method-specific Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1a.	Were the method specified preservation and holding time requirements met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1b.	EPH and VPH methods only: Was the VPH or EPH method conducted without significant modifications (see section 11.3 of respective RCP methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
2.	Were all samples received by the laboratory in a condition consistent with that described on the associated Chain-of-Custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3.	Were samples received at an appropriate temperature (< 6 Degrees C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
4.	Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5a.	Were reporting limits specified or referenced on the chain-of-custody?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5b.	Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
6.	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the Reasonable Confidence Protocol documents?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
7.	Are project-specific matrix spikes and laboratory duplicates included in the data set?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA

Note: For all questions to which the response was "No" (with the exception of question #5a, #7), additional information must be provided in an attached narrative. If the answer to question #1, #1A or 1B is "No", the data package does not meet the requirements for "Reasonable Confidence".

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete.

Authorized
Signature:



Date: Tuesday, June 12, 2012
Printed Name: Maryam Taylor
Position: Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

June 12, 2012

SDG ID.: GBB78007

ETPH Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-fid1 06/07/12-1 (BB78017, BB78024)

Initial Calibration (FID1 - ETPH_1) - The initial calibration curve was within method criteria and had a %RSD less than 30%.

The daily continuing calibration standard was within method criteria of +/- 30% RSD.

As per section 7.2.3, a discrimination check standard was run and contained the following outliers: None

Printed Name Jeff Bucko
Position: Chemist
Date: 6/7/2012

Instrument: Au-fid1 06/10/12-2 (BB78018)

Initial Calibration (FID1 - ETPH_1) - The initial calibration curve was within method criteria and had a %RSD less than 30%.

The daily continuing calibration standard was within method criteria of +/- 30% RSD.

As per section 7.2.3, a discrimination check standard was run and contained the following outliers: None

Printed Name Jeff Bucko
Position: Chemist
Date: 6/10/2012

Instrument: Au-xl1 06/08/12-1 (BB78025)

Initial Calibration (FIDXL1 ETPH_1) - The initial calibration curve was within method criteria and had a %RSD less than 30%.

The daily continuing calibration standard was within method criteria of +/- 30% RSD.

As per section 7.2.3, a discrimination check standard was run and contained the following outliers: None

Printed Name Jeff Bucko
Position: Chemist
Date: 6/8/2012



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

June 12, 2012

SDG I.D.: GBB78007

QC (Batch Specific)

----- Sample No: BB93902, QA/QC Batch: 202053 -----

All LCS recoveries were within 50 - 150 with the following exceptions: None.

All LCSD recoveries were within 50 - 150 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

----- Sample No: BB94753, QA/QC Batch: 202153 -----

All LCS recoveries were within 50 - 150 with the following exceptions: None.

All LCSD recoveries were within 50 - 150 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

PCB Narration

Were all QA/QC performance criteria specified in the Reasonable Confidence Protocol documents achieved? Yes.

Instrument: Au-ecd5 06/06/12-1 (BB78010, BB78017, BB78024)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn

Position: Chemist

Date: 6/6/2012

Instrument: Au-ecd7 05/02/12-1 (BB78011)

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn

Position: Chemist

Date: 5/2/2012

Instrument: Au-ecd8 05/01/12-1 (BB78007, BB78008, BB78011, BB78013, BB78014, BB78015, BB78018, BB78020, BB78021, BB78022, BB78025, BB78027, BB78028, BB78029)



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



RCP Certification Report

June 12, 2012

SDG I.D.: GBB78007

8082 Narration:

The initial calibration RSD for the compound list was less than 15% except for the following compounds: none

The continuing calibration standards were within acceptance criteria except for the following compounds: none

Printed Name Michael Hahn
Position: Chemist
Date: 5/1/2012

QC (Site Specific)

----- Sample No: BB78011, QA/QC Batch: 199525 -----

All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

All MS recoveries were within 40 - 140 with the following exceptions: None.

All MSD recoveries were within 40 - 140 with the following exceptions: None.

All MS/MSD RPDs were less than 30% with the following exceptions: None.

A matrix effect is suspected when a MS/MSD recovery is outside of criteria. No further action is required if LCS/LCSD compounds are within criteria.

QC (Batch Specific)

----- Sample No: BB76687, QA/QC Batch: 202149 -----

All LCS recoveries were within 40 - 140 with the following exceptions: None.

All LCSD recoveries were within 40 - 140 with the following exceptions: None.

All LCS/LCSD RPDs were less than 30% with the following exceptions: None.

Bobbi - Phoenixlabs

From: David D'Onofrio [ddonofrio@LBGCT.com]

Sent: Tuesday, June 05, 2012 8:38 PM

To: 'bobbi@phoenixlabs.com'

Subject: Dell additional analyses

Bobbi,

Please run the following samples for the indicated parameters:

1A	4-5	BB76665	SPLP ETPH
2D	4-5	BB78081	SPLP ETPH
4E	4-5	BB78096	SPLP ETPH
1B	4-5	BB76701	ETPH, PCB
1B	5-6	BB76702	ETPH
3B	4-5	BB78017	ETPH, PCB
3B	5-6	BB78018	ETPH
4B	4-5	BB78024	ETPH, PCB
4B	5-6	BB78025	ETPH
5B	4-5	BB78031	ETPH
5B	5-6	BB78032	ETPH
6C	4-5	BB78070	ETPH
6C	5-6	BB78071	ETPH ✓
2B	4-5	BB78010	PCB
2A	4-5	BB76678	PCB
3A	4-5	BB76687	PCB
1C	4-5	BB78113	PCB
2D	4-5	BB78113	PCB 78081
3D	4-5	BB78088	PCB

Please continue to use Soxhlet extraction for all PCB analyses. Please contact me if you require additional information.


Thanks,
Dave

DAVID J. D'ONOFRIO

Senior Hydrogeologist

Leggett, Brashears & Graham, Inc.
6 Executive Drive Suite 109
Farmington, CT 06032

ddonofrio@lbgct.com
(860) 678-0404 x360 Office
(860) 678-0606 Fax
(203) 787-7973 Cell
www.lbgweb.com



This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

6/6/2012

Bobbi - Phoenixlabs

From: David D'Onofrio [ddonofrio@LBGCT.com]

Sent: Wednesday, June 06, 2012 4:08 PM

To: bobbi@phoenixlabs.com

Subject: Re: Dell additional analyses

Understood. Please proceed.

Sent via DroidX2 on Verizon Wireless™

-----Original message-----

From: Bobbi - Phoenixlabs <bobbi@phoenixlabs.com>
To: David D'Onofrio <ddonofrio@LBGCT.com>
Cc: 'Bobbi - Phoenixlabs' <bobbi@phoenixlabs.com>
Sent: Wed, Jun 6, 2012 20:04:23 GMT+00:00
Subject: Dell additional analyses

Hi Dave

I just wanted to make sure you know that the ETPH and SPLP ETPH are past the 14 day holdtime before we proceed.

Can you please verify that you would still like us to run these samples for ETPH and SPLP ETPH?

**Thank you
Bobbi**

Bobbi Aloisa
Vice President
Director of Client Services
Phoenix Environmental Laboratories
587 East Middle Turnpike
Manchester, CT 06040
Ph: 860-645-8728

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, forwarding, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by e-mail or telephone, and delete the original message immediately.